

Below is the latest version of scientific programme (May-09)

Please use the following link for .pdf file: [scientific programme](#)

7th International Sheep Veterinary Congress Stavanger Forum 12-16 June 2009 Scientific Programme	
Friday 12 June	
13.00 –18.00	Registration
16.00 – 18.30	Bayer Animal Health “Sheep Satellite Symposium”
19.00 – 20.00	<p style="text-align: center;">OPENING CEREMONY Cultural event (Barstad-Andresen) Welcome to the Congress, The Norwegian School of Veterinary Science, Rektor Lars Moe Welcome to Stavanger, The Mayor of Stavanger, Leif Johan Sevland Welcome to the Region, The Regional Mayor Tom Tvedt The Minister for Higher Education and Research, Tora Aasland, opens the Congress</p>
20.00 - 21.00	Keynote: Riisnæs JA: Sheep and culture through 10 000 years!
21.00 – 22.00	Greek highlights ISVC 2005 (Ken Pettey)

Saturday 13 June			
09.00 - 09.30	Keynote: Vatn S: Sheep Industries in the Nordic countries		
09.30 - 10.15	Management/Flock Health 1 Chairpersons: Sargison N, Scott P	Case Reports 1 Chairpersons: Smith M, Winter A	Welfare & Zoonosis 1 Chairpersons: Menzies P, Windsor P
	Athanasίου LV*, Polizopoulou Z Biochemical tests in sheep health management	Anderson R*, Bath G A case report of a foreign body leading to an enterolith formation in the rumen of a Pedi ram	#Vellema P*, van den Brom R, Dercksen D Q fever outbreaks in the Netherlands in 2007 and 2008
	Berntsen H*, Haukaas C, Ulvund_MJ Immunoglobulin and vitamin B levels in newborn lambs from flocks with different colostrum administration practice	Assis I* Outbreak of tetanus, in adult sheep associated with ear tag replacement	Hotzel H, Moog U*, Monicke S, Ehrlich R, Klengel K, Grimm H Detection of transmission of <i>Staphylococcus aureus</i> from humans to cheese during the production procedure using DNA microarray and DNA sequencing
	Astobiza I*, Barandika JF, Ruiz-Fons JF, Hurtado A, Juste RA, García-Pérez AL <i>Coxiella burnetii</i> in ruminants in semi-extensive grazing systems from Northern Spain: Seroprevalence and bacterial shedding patterns in sheep flocks	Christodoulouopoulos G* Salivary abomasum disease in young lambs	Sheil M*, Lomax S, Dickson H, Windsor P Analgesia for mulesing and other surgical husbandry procedures in sheep

10.15 – 11.00	Poster viewing – Coffee break		
11.00 – 11.30	Keynote: Dwyer C: Sheep welfare: Present and future perspectives		
11.30 – 13.00	Management/Flock Health 2 Chairpersons: Sargison N, Scott P	Case Reports 2 Chairpersons: Smith M, Winter A	Welfare & Zoonosis 2 Chairpersons: Menzies P, Windsor P
	#Farquharson B* Animal health and production service to sheep clients	Jeckel S*, Browne E, Alony Y, Nevel M Case study: Unusual presentations of pathological lesions due to caseous lymphadenitis in adult sheep	Hucker D* Flies, mulesing and merino sheep in Australia
	Ganter M*, Schröder C, Probst D, Runge M, Kubel D, Nagel-Kohl U, Keller B, Rickling S, Niemann H Serological and virological follow-up investigation of small ruminants vaccinated against bluetongue disease with Bluevac-8®	Mavrogianni VS*, Fthenakis GC Case reports: Clinical, bacteriological, cytological and pathological features of teat disorders in ewes	Vellema P*, Moll L, Stegeman A Tail docking does not prevent blowfly strike
	Gelasakis AI*, Arsenos G, Valergakis GE, Fortomaris P, Banos G Foot lesions in dairy sheep of Chios breed in Greece	Giadinis ND*, Chochlakis D, Ioannou I, Kritsepi-Konstantinou M, Roubies N, Psaroulaki A, Karatzias H A case of anaplasmosis in a ram in Northern Greece	Phythian CJ*, Clarkson MJ, Winter AC, Grove White D, Jones P, Cripps PJ, Michalopoulou E, Duncan J.S The development of indicators for the on-farm assessment of sheep welfare
	Hosie B*, Eaglesham L, Ritchie C, Gill I A new web based Sheep Health Management System	Stevenson H* Pathological fractures due to osteoporosis in hill lambs at weaning	Stubsjøen SM*, Svarstad Flø A, Moe RO, Janczak AM, Skjerve E, Valle P, Zanella AJ Exploring infrared thermography and heart rate variability as noninvasive methods to assess moderate pain in sheep
	Gill I*, Hosie B, Eaglesham L Practical application of a new web based Sheep Health Management System	Ulvund MJ*, Brundtland E, Bårdsen K A Norwegian case of atypical footrot resembling CODD	Valle P.S*, Kjærnes U, Stubsjøen S.M, Hektoen L, Døving R Sheep welfare – from heart rates to concerns about market effects
13.00 – 14.30	Lunch – Lindesnes (Janssen Animal Health).		
14.30 – 16.00	Janssen Animal Health “Sheep Satellite Symposium” – see separate room name		
14.30 – 15.00	Keynote: Jackson F*, Bartley D, Bartley Y, Kenyon F: Worm control in sheep in the future		
	Management/Flock	Cestodes, Coccidia and	Welfare & Zoonosis 3

15.00 – 16.00	Health 3 Chairpersons: Mansley S, Plant J	Ectoparasites 1 Chairpersons: Ganter M, Besier B	Chairpersons: Phytian CJ, Zanella A
	Scott P*, Sargison N Uses for ultrasonographic examination (excluding the thorax) in sheep practice	Epstein V, Pointing S* Hydatid Disease – towards eradication in the Falkland Islands (Man v Worm)	#Windsor PA, Lomax S*, Shiel M Topical anaesthesia for pain management of husbandry procedures in Australian sheep flocks
	Kaler J*, Medley GF, Hawker EM, Wassink GJ, Grogono-Thomas R, Calvo-Bado LA, Moore LJ, Wellington EMH, Green LE Factors associated with change in foot integrity and locomotion in sheep on one farm in the UK	Bjorland J*, Torsteinbø WO Detection of <i>Toxoplasma gondii</i> in foetal tissues from sheep - mouse inoculation and real-time PCR	Walker J, Ridler A* Farmer and veterinary perceptions of pain in sheep in the UK
	Leibovich H*, Abu-Siam M, Bloch A, Richard A, Ben Zeev A Evaluation of decoquinate in controlling coccidia in fast growing young lambs fed total mixed ration in Bedouin Awassi semi-intensive herds	Giadinis ND*, Terpsidis K, Diakou A, Papazahariadou M, Karatzias H Treatment of ovine toxoplasmosis with sulfadimidine in Greece	Zanella AJ*, deCarvalho M, Schroeer A, Janczak AM, Ramos A Strategies to reduce fear in sheep through positive human-animal interactions
	Midgley DJ* Developing a strategy and management system for communal farming in Southern Africa by manipulating the breeding cycle of the ewe	Karlsson J*, Greeff J, Slocombe L Breeding for resistance to myiasis in Australian Merino sheep	Scott P* Investigation of joint lesions in adult sheep
16.00 – 16.30	Poster viewing - Coffee break		
16.30 – 18.00	Novartis seminar: “Developing a new anthelmintic for use in sheep farming- The AADs the 1st new Sheep anthelminthic for three decades”	Cestodes, Coccidia and Ectoparasites 2 Chairpersons: Ganter M, Besier B	Management/Flock Health 4 Chairpersons: Mansley S, Plant J
		Mundt H-C*, Dittmar K, Bangoura B, Grzonka E, Dauschies A Study on the comparative efficacy of toltrazuril and diclazuril against ovine coccidiosis in housed lambs	Moon C, Scott L, Berke O Menzies P*, Reid-Smith R, Avery B, Janecko N, McEwen S Drug use patterns in Ontario sheep flocks- preliminary results
		Gjerde B, Vatn S*, Dahl J, Nielsen B, Mundt H-C Efficacy of toltrazuril and diclazuril in the prevention of coccidiosis in naturally infected lambs on pasture in Norway	Norderhaug, A*, Ulvund, MJ, Øpstad S, Garmo T, Hegrenes A, Kittelsen E, Nilsen L, Thorvaldsen P, Vandvik V, Velle LG, Vikane JH “Feral Sheep” in coastal heaths - developing a

			sustainable local industry in vulnerable cultural landscapes
		Mundt H-C*, Le Sueur C, Mage C Efficacy of toltrazuril (Baycox® 5% suspension) in natural infections with pathogenic <i>Eimeria</i> spp. in housed lambs	Petty KP* How to be a good shepherd in the classroom
		Christodoulopoulos G*, Theodoropoulos G A survey of cestode-larva disease in Greek-sheep industry	Rautiainen J* Good management practice in Finnish sheep production chain
		Tegtmeyer PC*, von Samson Himmelstjerna G, Ellendorff F, Ganter M Monieziosis in sheep. A survey of the effectiveness of metaphylactic treatment with praziquantel	Vellema P*, Moll L, Dercksen D Bluetongue in sheep in The Netherlands
18.05 – 19.00	FORMATION OF THE INTERNATIONAL SHEEP VETERINARY ASSOCIATION - I		
20.00 – 23.00	The Red Seahouses (“De røde sjøhus”). Dinner & Dance. Music “Moonlight” (Merial)		

Sunday 14 June			
09.00 - 09.30	Keynote: Nesbakken T: Food safety in a global market: Do we need to worry?		
09.30 - 10.30	Chronic/Slow Disease 1 Chairpersons Vellema P, Dercksen D	Genetics & Nutrition 1 Chairpersons Karlsson J, Sivertsen T	Medicine and Disease 1 Chairpersons Stuen S, Granquist EG
	Barizzone F*, Stella P, Vivas-Alegre L European food safety authority risk assessment on human and animal exposure risk related to transmissible spongiform encephalopathies (TSEs) from milk and milk products derived from small ruminants	Conington J, Nieuwhof GJ, McLaren A, Lambe N, Hosie B*, Bishop SC, Bünger L Breeding for resistance to footrot in UK sheep	Duehlmeier R*, Fluegge I, Parvizi N, Ganter M Insulin resistance in sheep – A pathogenic factor in the development of pregnancy toxemia?
	Ersdal C, Lie K-I, Espenes A, Ulvund MJ, Press C* Distribution and density of PGP 9.5 positive nerve fibers in the ileal Peyer's patch follicles of sheep are influenced by age and PrP genotype and not by scrapie infection	Humann-Ziehanck E*, Ganter M, Renko K, Köhrle J, Schomburg L Investigation of selenoproteins in sheep	Janowetz B*, Kurth E, Keller W, Graunke W, Kern S, Obermaier S, Böttcher J <i>Coxiella burnetii</i> phase 1 and 2 specific immuneresponse in sheep after infection and vaccination, respectively

	<p>Hopp P*, Olsaker I, Moldal T, Åkerstedt J, Sviland S, Viljugrein H Estimation of the prion protein genotype distribution in the Norwegian sheep population using Bayesian methods</p>	<p>Boman IA, Klemetsdal G, Blichfeldt T, Nafstad O, Våge DI* Three different myostatin (MSTN) mutations, affecting carcass conformation and fatness, are segregating in Norwegian sheep</p>	<p>Kaler J*, Daniels SLS, Wright J, Green LE Effect of six individual treatments on the time to recovery from lameness in sheep with footrot: A randomised controlled trial on a farm in UK</p>
	<p>#Kipanyula MJ*, Chuma IS, Brundtland E, Bårdsen K, Ulvund MJ Prion protein (PrP) gene polymorphism in Red Maasai and Black Head Persian sheep breeds in Tanzania: Consistent profile regardless of locations</p>	<p>Cummins L* Progeny testing for prime lamb production</p>	<p>Mavrogianni VS, Brozos C* Reflections on the causes and diagnosis of peri-parturient deaths in ewes</p>
10.30 – 11.00	Poster viewing – Coffee break		
11.00 – 11.30	Keynote: Winter AC: Footrot-control and eradication (elimination) strategies		
11.30 – 13.00	<p>Chronic/Slow Disease 2 Chairpersons Ulvund M, Voigt K</p>	<p>Genetics & Nutrition 2 Chairpersons Vatn S, Cummins L</p>	<p>Medicine and Disease 2 Chairpersons Stuen S, Granquist EG</p>
	<p>Sørby R, Austbø L, Press C*, Skretting G, Landsverk T, Espenes A Low expression of PrP mRNA in tissue compartments accumulating PrP^{Sc} in the sheep spleen during experimental scrapie</p>	<p>Sivertsen T*, Garmo TH, Lierhagen S, Bernhoft A, Waaler T, Steinnes E Trace elements in sheep and sheep pastures in Norway</p>	<p>Mavrogianni VS, Fthenakis GC* Efficacy of difloxacin against respiratory infections of lambs</p>
	<p>Kenigswald G*, Van-Straten M The effect of maedi-visna virus (mvv) positive serology on milk and meat production in Israeli “Assaf” sheep herd</p>	<p>Grøva L*, Olesen I, Steinshamn H, Stuen S Weight gain, immunity and robustness related to tick-borne fever in sheep</p>	<p>Orfanou DC*, Fragkou IA, Fthenakis GC, Mavrogianni VS Control of liver abscess syndrome in lambs with marbofloxacin</p>
	<p>Spyrou V, Psychas V, Sofianidis G, Mavrogianni VS, Kalaitzakis M, Fthenakis GC, Billinis C* Evidence of natural transmission of a sheep isolate of small ruminant lentivirus from sheep to goats-findings from Greece</p>	<p>Karlsson J* & Greeff J Breeding sheep for fitness traits</p>	<p>Vatn S*, Malmo T, Svendsen S, Fredriksen B Factors related to levels of immunoglobulins and survival of neonatal lambs</p>
	<p>Voigt K*, Baird G, Munro F, Murray F, Brülisauer F Eradication of caseous</p>	<p>Kerkmann A*, Ganter M, Ostmeier M, Hewicker-Trautwein M,</p>	<p>Watt BR* Liver Disease in sheep in New South Wales</p>

	lymphadenitis from a large Scottish hill flock – a progress report	Distl O Results of breeding experiment on epidermolysis bullosa in sheep	
	Nagel-Aine GE*, Søilverød LS, Valle PS, Simon-Nilsen M Prevalence and handling of caseous lymphadenitis in sheep flocks in Malangen peninsula in Troms county	Sargison N*, Jackson F, Gilleard J Development of genetic crossing methods to identify genes potentially associated with macrocyclic lactone resistance in <i>Haemonchus contortus</i>	Waage S*, Wangensteen G Outcomes of ewes and their offspring following caesarean section
			Scott P*, Sargison N The collection and interpretation of cerebrospinal fluid in sheep practice
13.00 – 14.30	Lunch		
14.30 – 16.00	Round Table Keynote lecture: Hendricks G: The spread of bluetongue in Europe Chairperson: Vellema P		
16.00 – 16.30	Poster viewing		
18.00	Departure to Byrkjedal		
19.00 – 23.00	Traditional food, trolls and regional culture, among and inside rocky mountains		
24.00	Arrival at the hotels		

Mondag 15 June			
09.00 - 09.30	Keynote: Morris ST: Economics of Sheep Production		
09.30 - 10.30	Helminth disease 1 Chairpersons Bath G, Roger P	Bacteriology 1 Chairpersons Juste R, Jeckel S	Disease control and eradication programme1 Chairpersons West D, Ridler A
	#Bath G* and Van Wyk J The five point check for targeted selective treatment of small ruminants at risk of parasitosis	#Calvo-Bado LA, UI-Hassan A, Kaler J, Medley GF, Grogono-Thomas R*, Moore LJ, Green LE, Wellington EMH Bacterial diversity during footrot infection in sheep	Scott L, Moon C, Menzies P*, Reid-Smith R, Berke O, Avery B, Janecko N, McEwen S. The prevalence of antimicrobial resistance on Ontario sheep farms and associations between antimicrobial use and resistance
	Anderson R*, Bath G, Van Wyk J The effect of application of the FAMACHA© system on selected production parameters in sheep	Rogdo T*, Fjeldaas T, Hektoen L, Bårdsen K, Dønne B A preliminary study of infectious claw diseases including clinical findings and bacteriological analyses for <i>Dichelobacter nodosus</i> in mixed sheep and cattle herds to investigate if cross-	Windsor PA*, Eppleston J, Whittington R How efficacious is vaccination in the control of ovine paratuberculosis in Australia?

		infection had occurred	
	Besier RB* Targeted anthelmintic treatment : A new concept in sustainable sheep worm control	Ganter M*, Bürstel D Sanitation of <i>Brucella ovis</i> infections complicated by caseous lymphadenitis	King, A* Bluetongue vaccine as part of disease control in the UK
	Hosking B*, Dobson R, Leathwick D, Coles G, Dorchies P Can we preserve the life of a new class of anthelmintic?	Guilory M, Wichtel J*, Lopez A Diverse clinical presentations associated with an outbreak of <i>Clostridium perfringens</i> type D enterotoxaemia	Hektoen L*, Høyland B, Vatn S, Kampen A Prevalence of footrot in Norwegian sheep – clinical examination of one million feet
10.30 – 11.30	Poster viewing – Coffee break		
11.30 – 13.00	Helminth disease 2 Chairpersons Bath G, Roger P	Bacteriology 2 Chairpersons Juste R, Jeckel S	Disease control and eradication programme2 Chairpersons Petty K, Hektoen L
	Hodne AJ, Heggberget T, Stuen S* Appearance and prevention of gastrointestinal parasites of feral sheep on the isle Ytre Skjervøy, Norway	#Juste RA; *Beltran de Heredia I, Arranz J, Minguijon E Lamb mortality as a collateral effect of colostrum feeding for maedi control in an outbreak of <i>Yersinia pseudotuberculosis</i> mastitis	Vatn S*, Hektoen L, Høyland B, Kampen AH, Skarra TK Surveillance, control and eradication of footrot in Norway
	Domke AM*, Chartier C, Gjerde B, Leine N, Vatn S, Østerås O, Stuen S Control practices against gastro-intestinal nematode infections in small ruminant flocks in Norway	Mavrogianni VS*, Cripps PJ, Fthenakis GC Bacterial flora and risk of infection of the ovine teat duct and mammary gland throughout lactation	König U*, Bjørk Averpil H Efforts to eradicate ovine footrot in nineteen Swedish herds
	Mederos A, Fernández S, Peregrine A, Kelton D, Menzies P*, VanLeeuwen J, LeBoeuf A, Corriveau F, Guthrie A, Martin R Population dynamics of gastrointestinal nematodes in organic and conventional sheep farms in Canada-descriptive statistics	Fragkou IA*, Skoufos J, Cripps PJ, Kyriazakis I, Papaioannou N, Boscoc CM, Tzora A, Fthenakis GC Differences in susceptibility to <i>Mannheimia haemolytica</i> - associated mastitis, between breeds of dairy sheep	Ridler A*, Wilson D, Nixon N Effect of environmental and climatic conditions on footrot in sheep in the UK
	Moors, E*, Gauly M Influence of a Moxidectin treatment in ewes on the growth rate of their lambs	Stuen S, Bergström, Birtles R Reservoir hosts for <i>Anaplasma phagocytophilum</i>	Ganter, M*, Ennen, S A field trial to control ovine footrot by Vaccination
	Reichel R,* Scholes S Congenital malformations,	Granquist EG*, Barbet AF, Bergström K, Stuen	#Ganter M*, Ennen S, Distl O, Hickford J

	abortions and infertility in a sheep flock, associated with the use of a benzimidazole containing product during pregnancy	S. <i>Anaplasma phagocytophilum</i> outer membrane protein MSP(P44), A protective antigen against tick borne fever?	A field trial to control ovine footrot using genetic markers for the improvement of a vaccination program
13.00 – 14.30	Lunch		
14.30 – 15.30	Round Table Keynote lecture: Fthenakis GC: A new opportunity for veterinarians: Membership of the European College of Small Ruminant Health Management (ECSRHM) Chairperson: Roger P		
15.30 – 16.00	Helminth disease 3 Chairpersons Høglund J, Domke A	Mammary Gland 1 Chairpersons Mørk T, Bjorland J	Disease control and eradication programme3 Chairpersons Petty K, Hektoen L
	#West D*, Pomroy W, Kenyon P, Morris S, Smith S Estimating the cost of sub-clinical parasitism in grazing ewes	Giadinis N*, Arsenos G, Tsakos P, Psychas V, Dovas C, Papadopoulos E1, Karatzias H, Fthenakis GC “Milk drop syndrome” in dairy ewes: Clinical and diagnostic approach	Dhungyel OM*, Whittington R New approach to vaccination for treatment, control and eradication of footrot in sheep and goats
	Rufener L*, Mäser P, Roditi I, Kaminsky R <i>Haemonchus contortus</i> acetylcholine receptors of the DEG-3 subfamily and their role in sensitivity to amino-acetonitrile derivative (AAD) anthelmintics	Gougoulis DA, Kyriazakis I, Papaioannou N, Papadopoulos E, Taitzoglou IA, Fthenakis GC* Subclinical mastitis changes the patterns of maternal-offspring behaviour in sheep	Plant, J *, Egerton JR The “eradication” of virulent footrot from New South Wales
16.00 – 16.30	Poster viewing – Coffee break		
16.30 -17.30	Helminth disease 4 Chairpersons Høglund J, Domke A	Mammary Gland 2 Chairpersons Mørk T, Bjorland J	Economics Chairpersons Bøe K, Thompson R
	#Taylor M*, Learmount J, Lunn E, Morgan C, Craig B Multiple resistance to anthelmintics in sheep nematodes and comparison of methods used for their detection	Keningswald G*, Van Straten M The effect of subclinical intramammary infection with coagulase negative staphylococci (CNS) on milk production in “Assaf” dairy sheep	#Thompson R* Prospects for continued sheep production on the English hills and uplands
	Papadopoulos E, Fragkou IA, Mavrogianni VS, Gougoulis DA, Orfanou DC, Gallidis E, Ptochos S, Taitzoglou IA, Parker	Lovatt FM*, Green LE Observational study of clinical signs associated with different treatments for acute mastitis in ewes	Bush RD*, Windsor PA, Toribio JA, Webster SR Financial modelling as a tool to manage ovine Johne’s disease in southern New South

	L, Fthenakis GC* Persistent prophylactic efficacy of long-acting moxidectin (2% inj.sol.) for control of <i>Trichostrongylid</i> infections of sheep		Wales sheep flocks
	Höglund J*, Gustafsson K, Donnan A, Skuce P Anthelmintic resistance in Swedish sheep flocks	Shwimmer A*, Keningswald G, Van Straten M, Merin U, Leitner G Dry-off treatment of sheep and goats: Management tool for improving milk quantity and quality	Parsons, C* Comparing rates of gain of market lambs on three different feeding regimes
	Sargison N, Wilson D, Scott P, Bartley D, Jackson F Preliminary characterisation of a moxidectin resistant population of <i>Teladorsagia circumcincta</i> isolated from a sheep flock in the south east of Scotland	Waage S*, Vatn S. Risk factors for ovine clinical mastitis in the early postpartum period and during lactation	Valergakis GE*, Gelasakis AI, Oikonomou G, Arsenos G, Fortomaris P, Banos G Cost effectiveness of a dairy sheep genetic improvement program using artificial insemination
17.30 – 18.30	FORMATION OF THE INTERNATIONAL SHEEP VETERINARY ASSOCIATION – II. Voting for the 8th ISVC.		
20.00 – 24.00	Congress Grand Finale Dinner – Stavanger Forum		

Tuesday 16 June

	Diagnostics Chairpersons Vatn S, Willmington JA	Mammary Gland 3 Chairpersons Waage S, Athanasiou LV	Reproduction Chairpersons Mavrogianni VS, Lawrence K
09.00 - 10.00	#Willmington JA*, Davies IH Reasons for failing to reach a diagnosis in laboratory submissions from sheep	#Athanasiou LV*, Orfanou DC, Fragkou IA, Gougoulis DA, Nerou C KatsoudasVL, Fthenakis GC Lincomycin and spectinomycin concentrations in ewes` Milk	Piperelis SG*, Vafiadis D, Alexopoulos C Quality and kinematic characteristics of filtrated ram semen
	Bath G* An international electronic resource for sheep diseases	Athanasiou LV*, Orfanou DC, Fragkou IA, Gougoulis DA, Nerou C, Katsoudas VL, Vachratidis GC, Fthenakis GC Proposals for withdrawal time of sheep milk for some commonly used veterinary medicinal products	Piperelis SG*, Vafiadis D, Alexopoulos C. Seasonal variations in kinematic characteristics of Chios breed ram ejaculates

	<p>Våge ÅØ*, Ulvund MJ Clinical pathology in a normal Norwegian sheep flock as a background and tool for evaluation of clinical emergence of ketosis</p>	<p>Brozos CN*, Papaioannou N, Boscoc C, Kioussis E Endoscopic and histopathologic investigation of teats in dairy ewe</p>	<p>Pozzi N, Sellem E, Breard F, Medina P, Humbolt P, Mathevet P, Guerin B*. Vaccination of rams against bluetongue with a BTV-8 killed vaccine: Effects on semen quality parameters</p>
	<p>Syrjälä P*, Anttila M, Dillard K, Collin K, Haltia L, Nylund M, Perko-Mäkelä P, Raunio-Saarnisto M, Schulman K, Fossi M Endemic diseases detected in 611 sheep and goat necropsies in Finland in 1999-2007</p>	<p>Fragkou IA*, Dagleish MP, Papaioannou N, Cripps PJ, Boscoc CM, Ververidis HN, Orfanou DC, Solomakos N, Finlayson J, Govaris A, Kyriazakis I, Fthenakis GC Role of inducible-lymphoid follicle-like structures at the teat duct of ewes after experimental challenge with <i>Mannheimia haemolytica</i></p>	<p>Lawrence K*, Laven R. The evidence for reduced veterinary treatment of vaginal prolapse since the UK 2001 FMD outbreak</p>
10.00 – 10.30	2nd annual General Meeting of the ECSRHM College		
10.30 – 11.00	Closing session		
11.00 – 11.30	Lunch – "Grab and go"		